

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	3046	(709/217).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/02/24 13:48
S2	727	(relay\$3 or shift\$3) and S1	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 14:00
S3	421	(continuous adj1 (transmit\$4 or broadcast\$3))	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 13:52
S4	158547	terminal with (switch\$3 or chang\$3)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 13:54
S5	5348	terminal adj1 (switching or changing)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 13:55
S6	1	S3 and S5	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 13:55
S7	2	S2 and S5	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 13:55
S8	590	S2 and @ad < "20011204"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 14:11
S9	37014	(download\$3 or stream\$3) with (music or audio or video or multimedia)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 14:39
S10	50	("6307836" "6424831" "6134245" "6208650" "6229823" "5918022" "6298060" "4891802" "5574784" "5724346" "5828468" "5901205" "5941988" "6289377" "6609159" "5287535" "5347545" "5602907" "6016350" "6230189" "4348758" "4484353" "5351288" "5396540" "5903547" "5918157" "6067442" "6078583" "6208426" "6272148" "6282417" "6304579" "6333932" "6347088" "6370399" "6381535" "6466330" "6704789" "6049833" "6192411" "5191583" "5432901" RE35110 "5481562" "5546382" "5892907" "5999797" "6128662" "4441163" "4823122").pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 14:40

S11	48	("4837805" "4888800" "4951278" "4958278" "4975905" "4975904" "4991089" "5201049" "5228122" "5241682" "5283888" "5299197" "5303238" "5334823" "5357563" "5379340" "5386458" "5404000" "5428210" "5432326" "5479530" "5481542" "5495582" "5535199" "5583920" "5598535" "5621734" "5651109" "5706429" "5712906" "5734659" "5745576" "5754752" "5754768" "5781909" "5790173" "5822367" "5838682" "5894547" "5915008" "5907678" "5987519" "6018570" "6049832" "6055424" "6061714" "6061741" "6061741" "6061714" "6081601").pn.	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 14:42
S12	4	S9 and S11	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:05
S13	1	S9 and S10	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:06
S14	32122	stream\$3 with (music or audio or video or multimedia)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:07
S15	13638	client with ((transient adj1 storage)or ram or memory)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:08
S16	1684	S14 and S15	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:08
S17	32436	(disabl\$3 with (computer or system)) or (degrad\$3 adj1 data)	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:09
S18	106	S16 and S17	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:09
S19	56	S18 and @ad < "20000908"	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/24 15:10
S21	0	("liland@ad<20011204").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/25 15:09
S22	1903	S20 and @ad < "20011204"	USPAT	OR	OFF	2005/02/25 11:40
S23	18290	relay with (gateway or device)	USPAT	OR	OFF	2005/02/25 11:28
S24	30	S22 and S23	USPAT	OR	OFF	2005/02/25 13:09
S25	476	(continuous or uninterrupt\$3) with (changing with device\$1)	USPAT	OR	OFF	2005/02/25 11:32
S26	0	S22 and S25	USPAT	OR	OFF	2005/02/25 11:31

S27	264	convert\$3 with (ip adj1 address)	USPAT	OR	OFF	2005/02/25 11:33
S28	14	S22 and S27	USPAT	OR	OFF	2005/02/25 11:33
S29	0	("l1andl6").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/25 11:39
S30	0	S20 and S25	USPAT	OR	OFF	2005/02/25 11:39
S31	0	S22 and S25	US-PGPUB; USPAT; IBM_TDB	OR	OFF	2005/02/25 11:39
S32	256	continuous and S22	USPAT	OR	OFF	2005/02/25 13:03
S33	256	(continuous or uninterupt\$3) and S22	USPAT	OR	OFF	2005/02/25 12:52
S34	7	communication adj1 relay adj1 device\$1	USPAT	OR	OFF	2005/02/25 13:06
S35	7	communication adj1 relay adj1 (device\$1 or gateway)	USPAT	OR	OFF	2005/02/25 13:06
S36	310	communication adj1 relay	USPAT	OR	OFF	2005/02/25 13:07
S37	0	uninterupt\$3 and S36	USPAT	OR	OFF	2005/02/25 13:07
S38	0	uninterupt\$3 and S22	USPAT	OR	OFF	2005/02/25 13:08
S39	0	(session adj1 (id or identification)) with (pause or resume)	USPAT	OR	OFF	2005/02/25 14:03
S40	34	(session adj1 (id or identification)) with (pause or resume or start or play or stop)	USPAT	OR	OFF	2005/02/25 14:34
S41	9	gateway and S40	USPAT	OR	OFF	2005/02/25 14:04
S42	31	address adj1 convert\$3 adj1 table	USPAT	OR	OFF	2005/02/25 14:30
S43	164	(session adj1 (id or identification)) with (pause or resume or start or play or stop)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 14:34
S44	70	S43 and @ad < "20011204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 14:47
S45	39928	samsung.as.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 14:47
S46	70785	(gateway or router or intermedia\$2) with (session\$1 or status or address or pointer or reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 14:49
S47	385	S45 and S46	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 14:49

S48	8650	address adj1 conver\$4	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 15:10
S49	14	S47 and S48	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 15:02
S50	36	(session with (id or identification)) with (resume or pause)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 15:03
S51	0	S45 and S50	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 15:03
S52	0	("2002/0091834").URPN.	USPAT	OR	OFF	2005/02/25 15:07
S53	0	("I27andI31").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/25 15:09
S54	3	S46 and S50	USPAT	OR	OFF	2005/02/25 15:10
S55	180	(address adj1 conver\$4) with (gateway or router or intermedia\$2)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 15:11
S56	116	S55 and @ad < "20011204"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/02/25 15:11
S57	1273	(pause or resume) with request	USPAT	OR	OFF	2005/02/25 15:40
S58	0	S56 and S57	USPAT	OR	OFF	2005/02/25 15:39
S59	39	(session with (id or identification)) and S57	USPAT	OR	OFF	2005/02/25 15:40
S60	13	"6356205"	USPAT	OR	OFF	2005/02/28 11:19
S61	33	"5120160"	USPAT	OR	OFF	2005/02/28 11:20
S62	4	"5543623"	USPAT	OR	OFF	2005/02/28 11:20
S63	12	"5553492"	USPAT	OR	OFF	2005/02/28 11:21
S64	11	"5963508"	USPAT	OR	OFF	2005/02/28 11:21
S65	3	(id or identification) and S64	USPAT	OR	OFF	2005/02/28 11:22
S66	7	"5942440"	USPAT	OR	OFF	2005/02/28 11:22
S67	2	(id or identification) and S66	USPAT	OR	OFF	2005/02/28 11:23
S68	241	transceiver\$1 with (identification adj1 code)	USPAT	OR	OFF	2005/02/28 11:23
S69	590	(gateway or router) with ((conver\$4 or translat\$3) with address)	USPAT	OR	OFF	2005/03/01 16:03
S70	2844	session with (id or identifier or identification)	USPAT	OR	OFF	2005/03/01 14:47

S71	37	S69 and S70	USPAT	OR	OFF	2005/03/01 14:48
S72	593	session adj1 control	USPAT	OR	OFF	2005/03/01 14:48
S73	37	S69 and S70 and S71	USPAT	OR	OFF	2005/03/01 15:02
S74	37	S70 and S71	USPAT	OR	OFF	2005/03/01 14:48
S75	0	rewrit\$3 with (session adj1 status)	USPAT	OR	OFF	2005/03/01 15:03
S76	0	rewrit\$3 with (session with status)	USPAT	OR	OFF	2005/03/01 15:03
S77	2	rewrit\$3 same (session with status)	USPAT	OR	OFF	2005/03/01 15:06
S78	1042	(session with status)	USPAT	OR	OFF	2005/03/01 15:06
S79	141	(session adj1 status)	USPAT	OR	OFF	2005/03/01 15:06
S80	6	S69 and S79	USPAT	OR	OFF	2005/03/01 15:10
S81	27	(rewrit\$3 or updat\$3 or chang\$3) with (session adj1 status)	USPAT	OR	OFF	2005/03/01 15:11
S82	23	(session with (control or id or identifier or identification)) with ((conver\$4 or translat\$3) with address)	USPAT	OR	OFF	2005/03/01 16:04
S83	4976	session with (control or manager)	USPAT	OR	OFF	2005/03/01 16:13
S84	67	S69 and S83	USPAT	OR	OFF	2005/03/01 16:13
S85	95	(session adj1 (id or identifier or identification)) with (session with (controller or manager))	USPAT	OR	OFF	2005/03/02 10:36
S86	606	(gateway or router or (proxy adj1 server)) with (address with (translat\$3 or conver\$4))	USPAT	OR	OFF	2005/03/02 10:42
S87	0	S85 and S86	USPAT	OR	OFF	2005/03/02 10:32
S88	993	(gateway or router or (proxy adj1 server)) same (address with (translat\$3 or conver\$4))	USPAT	OR	OFF	2005/03/02 10:32
S89	3	S85 and S88	USPAT	OR	OFF	2005/03/02 10:33
S90	130	(session adj1 (id or identifier or identification)) same (session with (controller or manager))	USPAT	OR	OFF	2005/03/02 10:41
S91	4	S88 and S90	USPAT	OR	OFF	2005/03/02 10:37
S92	14	(address with (translat\$3 or conver\$4)) and S90	USPAT	OR	OFF	2005/03/02 10:42
S93	3651	(709/217-219).CCLS.	USPAT	OR	OFF	2005/03/02 10:46
S94	0	("I5andI12").PN.	USPAT	OR	OFF	2005/03/02 10:46
S95	27	S86 and S93	USPAT	OR	OFF	2005/03/02 10:47
S96	0	S90 and S95	USPAT	OR	OFF	2005/03/02 10:47
S97	17	S90 and S93	USPAT	OR	OFF	2005/03/02 10:47
S98	200	gateway with cache	USPAT	OR	OFF	2005/03/07 11:05
S99	10	(session adj1 status) and S98	USPAT	OR	OFF	2005/03/07 11:03

S10 0	101	gateway near4 (cache or (session adj1 status))	USPAT	OR	OFF	2005/03/07 11:06
S10 1	54	gateway near2 (cache or (session adj1 status))	USPAT	OR	OFF	2005/03/07 11:07
S10 2	0	gateway near2 (session adj1 status)	USPAT	OR	OFF	2005/03/07 11:08
S10 3	1	gateway with (session adj1 status)	USPAT	OR	OFF	2005/03/07 11:10
S10 4	1	gateway same (session adj1 status)	USPAT	OR	OFF	2005/03/07 11:10
S10 5	2	(gateway or router) same (session adj1 status)	USPAT	OR	OFF	2005/03/07 11:13
S10 6	1958	(709/227-228).CCLS.	USPAT	OR	OFF	2005/03/07 11:14
S10 7	1	gateway with (session adj1 status)	USPAT	OR	OFF	2005/03/07 11:14
S10 8	0	("(sessionadj1(identificationoridori entifierorstatus))").PN.	USPAT	OR	OFF	2005/03/07 11:15
S10 9	1100	(session adj1 (identification or id or identifier or status))	USPAT	OR	OFF	2005/03/07 11:15
S11 0	136	S106 and S109	USPAT	OR	OFF	2005/03/07 11:16
S11 1	68	gateway and S110	USPAT	OR	OFF	2005/03/07 11:19
S11 2	21	((conver\$4 or translat\$3) with address) and S110	USPAT	OR	OFF	2005/03/07 11:21
S11 3	19	S112 and @ad < "20001205"	USPAT	OR	OFF	2005/03/07 11:23
S11 4	3	(pause or resume) and S113	USPAT	OR	OFF	2005/03/07 11:23